

SCO HARD ROCK TABULAR - MAY 2013

Examination Number	ID Number	Final Mark	Pass/Fail
SCM	8901161056081	45.0	Fail
SCM	8804205149088	30.0	Fail
SCM	8701070949081	28.5	Fail
SCM	8509195993086	28.0	Fail
SCM	7012085034088	43.5	Fail
SCM	8411185626083	62.5	Pass
SCM	8908125682086	62.5	Pass
SCM	8004016090080	23.0	Fail
SCM	8912260816085	71.0	Pass
SCM	8809135803084	40.5	Fail
SCM	8109035023085	26.0	Fail
SCM	9208135072080	66.0	Pass
SCM	8912105215089	45.0	Fail
SCM	8309121018086	39.0	Fail
SCM	8510090507088	44.0	Fail
SCM	8311165615082	43.0	Fail
SCM	8605315015089	19.5	Fail
SCM	08-698443-D41	61.5	Pass
SCM	8112255970084	30.0	Fail
SCM	8909291250086	60.0	Pass
SCM	8810070789080	60.0	Pass
SCM	9004015590089	22.0	Fail
SCM	8712040768089	39.5	Fail
SCM	7305165024080	17.0	Fail
SCM	7808245754089	46.0	Fail
SCM	9001025518084	36.5	Fail
SCM	8604165145088	29.0	Fail
SCM	8412055684087	34.0	Fail
SCM	8603240768088	51.0	Fail
SCM	9007155005081	85.0	Pass
SCM	8102245135088	37.0	Fail
SCM	RB004454	16.0	Fail
SCM	8609275551083	47.5	Fail
SCM	8405280390082	28.5	Fail
SCM	7708075272089	30.0	Fail
SCM	6301285745085	31.5	Fail
SCM	8902026868082	60.0	Pass
SCM	8201195066085	24.0	Fail
SCM	8502215616084	5.0	Fail
SCM	8101020266084	17.5	Fail
SCM	7012105747081	23.0	Fail
SCM	8106255569086	45.0	Fail
SCM	75-410886D22	60.0	Pass
SCM	9101035457081	60.0	Pass
SCM	8808175649084	44.5	Fail
SCM	7906205631089	53.0	Fail
SCM	BN794331	81.5	Pass
SCM	7909155579086	22.5	Fail
SCM	8702276161083	34.0	Fail
SCM	8709175976081	53.5	Fail
SCM	7601235155080	35.0	Fail
SCM	89072995412082	66.5	Pass
SCM	8612295188084	70.0	Pass
SCM	8102115341089	49.5	Fail
SCM	8303205441082	31.0	Fail
SCM	8603071083086	67.0	Pass
SCM	8108155549085	35.0	Fail
SCM	8608180279087	64.0	Pass
SCM	7902125646083	45.0	Fail
SCM	8803055713084	13.0	Fail
SCM	8001285282083	31.0	Fail

SCM		8704105517089	78.0	Pass
SCM		209763635	45.5	Fail
SCM		8609035997089	43.0	Fail
SCM		831230554082	43.5	Fail
SCM		7407285318085	61.5	Pass
SCM		80120510898	31.0	Fail
SCM		8601135711080	20.0	Fail
SCM		8711070758085	43.0	Fail
SCM		8810270832086	77.0	Pass
SCM		8001026606087	60.0	Pass
SCM		8404130723089	34.5	Fail
SCM		8302225068081	42.5	Fail
SCM		8707076222084	27.0	Fail
SCM		7606205808089	45.0	Fail
SCM		8007075543089	36.5	Fail
SCM		8205190529088	61.0	Pass
SCM		8707076545088	37.5	Fail
SCM		8109165792087	29.5	Fail
SCM		8112045423089	62.5	Pass
SCM		8909205688082	62.0	Pass
SCM		8006045389086	20.0	Fail
SCM		6911195113081	33.5	Fail
SCM		8408225783080	65.0	Pass
SCM		8309036407085	34.5	Fail
SCM		8108025147086	60.0	Pass
SCM		8807016007080	66.0	Pass
SCM		BN648669	67.0	Pass
SCM		8710286062084	68.5	Pass
SCM		7907025538082	35.5	Fail
SCM		8406105042080	52.0	Fail
SCM		7610215004085	36.0	Fail
SCM		8809150842082	46.5	Fail
SCM		7901075093080	19.5	Fail
SCM		84-014564C53	48.5	Fail
SCM		7802135410084	60.0	Pass
SCM		8904305793080	48.5	Fail
SCM		8502275464086	54.0	Fail
SCM		8912085845087	60.0	Pass
SCM		8803066009084	41.0	Fail
SCM		7902255056087	60.0	Pass
SCM		7007095187082	60.5	Pass
SCM		7105235745080	38.5	Fail
SCM		8801016032081	60.0	Pass
SCM		8002115398081	20.0	Fail
SCM		8706235975087	32.0	Fail
SCM		8506020532089	47.0	Fail
SCM		8508151030081	60.0	Pass
SCM		8901130575088	49.5	Fail
SCM		7612215068086	39.0	Fail
SCM		8603310449080	49.0	Fail
SCM		6101125988089	49.0	Fail
SCM		7108265018089	67.5	Pass
SCM		8404045742083	67.0	Pass
SCM		8210106006080	18.0	Fail
SCM		8811155721089	60.0	Pass
SCM		7505175751081	29.5	Fail
SCM		D870779	26.0	Fail
SCM		9004205435087	26.5	Fail
SCM		8706245811082	12.5	Fail
SCM		8703046161080	24.5	Fail
SCM		8206055412089	26.5	Fail
SCM		9002120152084	52.0	Fail
SCM		8704155307084	39.5	Fail
SCM		7403015635088	37.0	Fail
SCM		8209055037088	33.5	Fail
SCM		8504135337080	60.5	Pass
SCM		6310175021085	53.5	Fail

SCO COAL - MAY 2013

Examination Number		ID Number	Final Mark	Pass/Fail
SCC		8506130438086	73.5	Pass
SCC		8307145103082	69.5	Pass
SCC		6512235587084	62.5	Pass
SCC		8811235350081	64.0	Pass
SCC		8712045620087	60.0	Pass
SCC		8705160669087	60.0	Pass
SCC		8911260627088	58.0	Fail
SCC		8801310278083	10.5	Fail
SCC		8708315888081	39.5	Fail
SCC		8609025177080	26.0	Fail
SCC		8503135803083	35.5	Fail
SCC		8503031002087	53.0	Fail
SCC		8304155556085	33.0	Fail
SCC		7409255073088	48.0	Fail
SCC		7401295068087	55.5	Fail
SCC		7210125149086	51.0	Fail
SCC		7407235419082	32.5	Fail

Total Passed	6
Total Failed	11
Total Candidates	17
% Passed	35.3

RMC P1 - MAY 2013

Examination Number		ID Number	Final Mark	Pass/Fail
RMC		22-214023B22	38.0	Fail
RMC		63-785561F27	39.0	Fail
RMC		761114580083	42.0	Fail
RMC		8702205208088	32.0	Fail
RMC		804234DC9AE	20.0	Fail
RMC		8702205209086	28.0	Fail
RMC		8009245106086	49.0	Fail
RMC		C0254850	32.0	Fail
RMC		63-1279961V38	41.0	Fail
RMC		08-2037649G26	15.0	Fail
RMC		79-101809B26	21.0	Fail
RMC		83-072491K83	24.0	Fail
RMC		54-072733J54	34.0	Fail
RMC		8007185427082	48.0	Fail
RMC		8102275348080	40.0	Fail
RMC		Z76Z10809	22.0	Fail
RMC		8304046026082	31.0	Fail
RMC		8301135414088	42.0	Fail
RMC		6904305683184	33.0	Fail
RMC		8202235540089	8.0	Fail
RMC		6601255084088	39.0	Fail
RMC		7112105239087	37.0	Fail
RMC		AB425397	35.0	Fail
RMC		7902055043087	38.0	Fail
RMC		7901295033080	27.0	Fail
RMC		8404060206089	36.0	Fail

RMC		6705075446086	45.0	Fail
RMC		7602105008082	34.0	Fail
RMC		8109045843084	42.0	Fail
RMC		8309245042087	29.0	Fail
RMC		8509300907088	43.0	Fail
RMC		8512185805088	25.0	Fail
RMC		6803215856080	32.0	Fail
RMC		7701045257082	31.0	Fail
RMC		9102085021082	37.0	Fail
RMC		7004145853086	34.0	Fail
RMC		79-075820C79	41.0	Fail
RMC		84-028453Z53	29.0	Fail
RMC		9001055095086	46.0	Fail
RMC		8308235088084	42.0	Fail
RMC		7006225512086	33.0	Fail
RMC		8801125070089	34.0	Fail
RMC		7007075868081	27.0	Fail
RMC		7603225192081	25.0	Fail
RMC		7701175610084	40.0	Fail
RMC		7411205533088	41.0	Fail
RMC		8402045680089	44.0	Fail
RMC		8811140927080	41.0	Fail
RMC		6411305106083	27.0	Fail
RMC		8206065927084	50.0	Fail
RMC		8501225085082	51.0	Fail
RMC		6208315781081	51.0	Fail
RMC		7610285553086	51.0	Fail
RMC		8712165955081	51.0	Fail
RMC		8211255079084	51.0	Fail
RMC		8010145032083	51.0	Fail
RMC		8209065863085	52.0	Fail
RMC		7310225734082	52.0	Fail

RMC		RA598076	53.0	Fail
RMC		8208055871082	53.0	Fail
RMC		8503135081086	55.0	Fail
RMC		7511215513085	54.0	Fail
RMC		8506105512089	55.0	Fail
RMC		7008075063087	56.0	Fail
RMC		8809275752083	55.0	Fail
RMC		7908205422089	58.0	Fail
RMC		8606180463081	60.0	Pass
RMC		7505035346080	57.0	Fail
RMC		8309205925081	60.0	Pass
RMC		8110190047083	60.0	Pass
RMC		8412155080087	60.0	Pass
RMC		8105195155089	61.0	Pass
RMC		8709015058082	60.0	Pass
RMC		8006165700088	61.0	Pass
RMC		6908045031083	61.0	Pass
RMC		6907035659085	62.0	Pass
RMC		7611255272087	62.0	Pass
RMC		7506105034085	64.0	Pass
RMC		8808015278086	64.0	Pass
RMC		7908215553089	64.0	Pass
RMC		8405305363080	66.0	Pass
RMC		8809075028080	66.0	Pass
RMC		8304195778087	66.0	Pass
RMC		7811215018089	66.0	Pass
RMC		6807025354087	66.0	Pass
RMC		6912275037083	66.0	Pass
RMC		8411300454080	67.0	Pass
RMC		8701120312082	70.0	Pass
RMC		7611285917180	71.0	Pass
RMC		8703275066083	72.0	Pass

RMC		9107055164085	75.0	Pass
RMC		8410110724088	75.0	Pass
RMC		6206145045081	77.0	Pass
RMC		27133251N27	78.0	Pass
RMC		8707255045082	81.0	Pass
RMC		7203235092080	85.0	Pass
RMC				
RMC				

Total Passed	29
Total Failed	67
Total Candidates	96
% Passed	30%

RMC P2 - MAY 2013

Examination Number	ID Number	Final Mark	Pass/Fail
	8710135064083	60.0	Pass
	7404125179082	62.0	Pass
	7405205292083	64.0	Pass
	8010145032083	60.0	Pass
	8705056862085	60.0	Pass
	8205185756084	60.5	Pass
	83-072491-k-83	38.0	Fail
	29-241927c27	36.0	Fail
	8301135414088	27.0	Fail
	8506026171080	41.0	Fail
	8712165955081	37.0	Fail
	AB425397	36.0	Fail
	7902055043087	41.0	Fail
	8312120888087	39.0	Fail
	7907075516087	42.0	Fail
	8605040309088	27.0	Fail
	6509285101089	0.0	Fail
	8603045857086	32.0	Fail
	7705050912085	28.0	Fail
	RA864433	18.0	Fail
	RA313798	36.0	Fail
	9008215542089	31.0	Fail
	8709165084086	28.0	Fail
	8811140927080	45.0	Fail
	8509300907088	39.0	Fail
	7610285553086	25.0	Fail
	7004145853086	38.0	Fail
	9212115100085	29.0	Fail
	7601185016084	24.0	Fail
	7706195332080	19.0	Fail
	8410110724088	32.0	Fail
	8210075918083	33.0	Fail
	63-785561F-27	43.0	Fail
	54072733J54	18.0	Fail
	8301105499085	37.0	Fail
	22-214023B22	37.0	Fail
	276210809	29.0	Fail
	804234BC9AE	55.0	Fail
	AN644656	55.0	Fail
	8404060206089	39.0	Fail
	7112105239087	41.0	Fail

	8908125030086	41.0	Fail
	8901055141080	37.0	Fail
	7611145780083	40.0	Fail
	8511065112086	25.0	Fail
	8308235088084	42.0	Fail
	8210065801083	46.0	Fail
	8612215535083	26.0	Fail
	8512115495083	34.0	Fail
	7807095003084	28.0	Fail
	8802255089089	36.0	Fail
	7608185107086	48.0	Fail
	7901295033080	34.0	Fail
	8506175383080	53.0	Fail
	8907120028087	18.0	Fail
	8510145641080	33.0	Fail
	035119599	24.0	Fail
	9110215004084	33.0	Fail
	7510106860084	44.0	Fail
	8501305105081	26.0	Fail
	8102160781080	40.0	Fail
	7702255364089	32.0	Fail
	7709155144081	25.0	Fail
	7702055109080	34.0	Fail
	7905245252088	24.0	Fail
	8512185805088	28.0	Fail
	83-141704-R-83	41.0	Fail
	6201205068081	46.0	Fail
	8608266068081	47.0	Fail
	8409070639088	40.0	Fail
	8904200664089	28.0	Fail
	8109096080081	36.0	Fail
	8102275348080	38.0	Fail
	6912275037083	38.0	Fail
	6801195541086	36.0	Fail
	8702095680081	31.0	Fail
	7505225010082	29.0	Fail
	6411305106083	46.0	Fail
	8609205589088	47.0	Fail
	79-075820C79	36.0	Fail
	6709115003089	43.0	Fail

Total Passed	6
Total Failed	75
Total Candidates	81
% Passed	7%

RMC 3.1 - MAY 2013

Examination Number		ID Number	Final Mark	Pass/Fail
RMC		8802255089089	47.5	Fail
RMC		9008215542089	52.5	Fail
RMC		8112140579088	93.5	Pass
RMC		RA864433	28.0	Fail
RMC		58-153783-H47	54.0	Fail
RMC		8010145032083	62.0	Pass
RMC		7006225521086	65.0	Pass
RMC		8402045680089	76.0	Pass
RMC		7702255364089	42.0	Fail
RMC		8506026171080	53.5	Fail
RMC		8007815427082	61.0	Pass
RMC		8603045857086	53.0	Fail
RMC		8904200664089	33.0	Fail
RMC		8811140927080	47.0	Fail
RMC		8809275752083	58.5	Fail
RMC		8512115495083	60.5	Pass
RMC		8703045909083	58.0	Fail
RMC		7705050912085	19.0	Fail
RMC		7806040727086	37.5	Fail
RMC		9110215004083	62.0	Pass
RMC		9212115100085	39.5	Fail
RMC		7709155144081	53.5	Fail

RMC		RA919395	44.0	Fail
RMC		8512185805088	51.5	Fail
RMC		8309205925081	45.5	Fail
RMC		6803295106083	51.5	Fail
RMC		8908125030086	53.0	Fail
RMC		AB425397	35.0	Fail
RMC		35119599	24.0	Fail
RMC		83-141704-R-83	57.0	Fail
RMC		83-072491-K-83	45.5	Fail
RMC		54-072733J54	28.0	Fail
RMC		8210065801083	91.5	Pass
RMC		7901295033080	39.0	Fail
RMC		8002275551081	51.0	Fail
RMC		8501305105081	40.5	Fail
RMC		7405205292083	85.5	Pass
RMC		AN644656	54.0	Fail
RMC		67050707446086	36.5	Fail
RMC		8404060206089	54.5	Fail
RMC		8312120888087	46.0	Fail
RMC		7511265045087	68.0	Pass
RMC		8501225085082	92.0	Pass
RMC		8009245106086	57.0	Fail

Total Passed	8
Total Failed	36
Total Candidates	44
% Passed	18%

RMC P3.2 - MAY 2013

Examination Number		ID Number	Final Mark	Pass/Fail
RMC		8204136282087	22.0	Fail
RMC		8508295138089	29.0	Fail
RMC		8510145641080	52.0	Fail
RMC		7811215018089	50.0	Fail
RMC		7112105239087	17.0	Fail
RMC		8101135053088	56.0	Fail
RMC		7807035082081	62.0	Pass

Total Passed	1
Total Failed	6
Total Candidates	7
% Passed	14%

RMC P3.3 - MAY 2013

Examination Number		ID Number	Final Mark	Pass/Fail
RMC		7905245252088	21.0	Fail
RMC		8509300907088	24.0	Fail
RMC		8208165696080	34.0	Fail
RMC		8409070639088	54.0	Fail
RMC		804234DC9AE	60.0	Pass

Total Passed	1
Total Failed	4
Total Candidates	5
% Passed	20%

RMC P3.4 - MAY 2013

Examination Number	ID Number	Final Mark	Pass/Fail
	9003035571087	50.0	Fail
	8401080309083	24.0	Fail
	8706195928084	47.0	Fail
	8807060419082	49.0	Fail
	8707255045082	45.0	Fail

Total Passed	0
Total Failed	10
Total Candidates	10
% Passed	0%