

OCTOBER 2012 EXAMS - SCC MET

Examination Number	ID Number	Final Mark	Pass/Fail
SCM	8702135068081	81.0	Pass
SCM	9209095065080	81.0	Pass
SCM	804234 DC 9AE	80.5	Pass
SCM	BN 562060	80.0	Pass
SCM	8511065112086	79.5	Pass
SCM	8506166164085	78.5	Pass
SCM	8904255007085	77.5	Pass
SCM	8511220771081	74.5	Pass
SCM	8910150133082	74.5	Pass
SCM	8111195294084	73.5	Pass
SCM	AB 267189	73.5	Pass
SCM	8704285875083	70.0	Pass
SCM	8906065543084	70.0	Pass
SCM	8707035929084	69.0	Pass
SCM	8502095790082	69.0	Pass
SCM	8904055527084	68.0	Pass
SCM	8612215744081	67.5	Pass
SCM	8910210267086	67.0	Pass
SCM	8809275752083	66.5	Pass
SCM	8407080498081	66.5	Pass
SCM	8813125271088	66.0	Pass
SCM	8212055520087	66.0	Pass
SCM	8504085228081	65.6	Pass
SCM	8307155655088	65.0	Pass
SCM	8607190690085	64.5	Pass
SCM	9104105136080	64.0	Pass
SCM	8604265422080	64.0	Pass
SCM	8506025132083	64.0	Pass
SCM	7610285553086	63.5	Pass
SCM	8401008030983	63.5	Pass
SCM	8711245186089	63.0	Pass
SCM	8808010490082	62.5	Pass
SCM	7505315419086	62.0	Pass
SCM	K0055251	61.0	Pass
SCM	7806065367081	61.0	Pass
SCM	8304130516089	61.0	Pass
SCM	29-256699-J03	60.5	Pass
SCM	8907255013086	60.5	Pass
SCM	7503015319086	60.5	Pass
SCM	7402185521086	60.5	Pass
SCM	8407145751086	60.0	Pass
SCM	8010165934085	60.0	Pass
SCM	7303195548087	60.0	Pass
SCM	8908221066083	67.0	Pass
SCM	8704155077083	60.5	Pass
SCM	08-2037649 G26	60.0	Pass
SCM	OB0232584	63.0	Pass
SCM	8412145120084	60.0	Pass
SCM	9004085064080	62.0	Pass
SCM	720819555088	60.5	Pass
SCM	9105230883082	60.0	Pass
SCM	BN 0050191	60.5	Pass
SCM	8606046335085	64.0	Pass
SCM	8802155187082	58.5	Fail
SCM	8611290266085	61.5	Pass
SCM	8202125028088	60.5	Pass

SCM		7903185744081	60.0	Pass
SCM		6801195541086	61.0	Pass
SCM		8210245583080	62.0	Pass
SCM		63-1279961-V38	60.0	Pass
SCM		29-010648-M27	65.0	Pass
SCM		8203015639083	62.0	Pass
SCM		03 - 111565 K03	62.0	Pass
SCM		29 - 241927 C27	68.0	Pass
SCM		8603136095083	62.0	Pass
SCM		7812245350088	54.0	Fail
SCM		7403015635088	56.0	Fail
SCM		8509295481081	63.5	Pass
SCM		8309036407085	56.0	Fail
SCM		8803066009084	47.0	Fail
SCM		7812055431085	54.0	Fail
SCM		8701245381087	54.0	Fail
SCM		7808010470085	60.0	Pass
SCM		9208135072080	52.0	Fail
SCM		7907025538082	51.5	Fail
SCM		7402185188084	57.2	Fail
SCM		8703030306089	61.5	Pass
SCM		8105235275087	51.5	Fail
SCM		7407285318085	63.0	Pass
SCM		8209175841088	50.5	Fail
SCM		8106255569086	52.5	Fail
SCM		8808175649084	51.5	Fail
SCM		8807015129083	50.0	Fail
SCM		8311165615082	50.0	Fail
SCM		8406105042080	49.0	Fail
SCM		8412055684087	49.5	Fail
SCM		08-698443 D41	49.5	Fail
SCM		8512190604088	50.5	Fail
SCM		8303205441082	49.0	Fail
SCM		8704155307084	49.0	Fail
SCM		8707076545088	49.0	Fail
SCM		8304036498085	49.0	Fail
SCM		9005295739086	48.5	Fail
SCM		8703145683083	48.0	Fail
SCM		7007095187082	48.0	Fail
SCM		7912055610082	48.0	Fail
SCM		8001026606087	48.0	Fail
SCM		8309090530087	48.0	Fail
SCM		27 - 180599 D27	48.0	Fail
SCM		8102245135088	48.0	Fail
SCM		8406055795083	48.0	Fail
SCM		29-144291-B66	47.5	Fail
SCM		7108265019089	47.5	Fail
SCM		8905125003089	47.5	Fail
SCM		7802135410084	47.0	Fail
SCM		8706050353089	47.0	Fail
SCM		8312305554082	47.0	Fail
SCM		9004015590089	46.5	Fail
SCM		8810225009087	46.5	Fail
SCM		7308015837081	46.0	Fail
SCM		8208085835081	45.0	Fail
SCM		8504135337080	45.0	Fail
SCM		7008115661080	44.5	Fail
SCM		7509205886081	44.5	Fail
SCM		7806025087084	44.0	Fail
SCM		7606040655083	43.5	Fail
SCM		7601235155080	42.0	Fail
SCM		80120510898	41.5	Fail

SCM		RA 796438	41.5	Fail
SCM		8902140815084	41.0	Fail
SCM		7902125646083	41.0	Fail
SCM		8402045684081	40.5	Fail
SCM		BN 784256	40.0	Fail
SCM		7406255372080	39.5	Fail
SCM		8001055473086	38.5	Fail
SCM		7909295451087	38.0	Fail
SCM		9001085662087	38.0	Fail
SCM		7809155579086	38.0	Fail
SCM		08-793181-E66	37.5	Fail
SCM		8405280390082	37.5	Fail
SCM		40043822	37.5	Fail
SCM		7708075272089	37.0	Fail
SCM		6609065044085	37.0	Fail
SCM		8607295372084	37.0	Fail
SCM		8105235090080	36.5	Fail
SCM		8306015071080	36.5	Fail
SCM		RB004454	35.5	Fail
SCM		8209055037088	35.5	Fail
SCM		7109285363083	35.5	Fail
SCM		8703046161080	35.0	Fail
SCM		8803055713084	34.5	Fail
SCM		BN 0039435	34.5	Fail
SCM		8606250695083	34.0	Fail
SCM		7507205674085	33.5	Fail
SCM		5810265173085	33.0	Fail
SCM		6510125983082	32.5	Fail
SCM		8810285387084	32.0	Fail
SCM		7505210629086	31.0	Fail
SCM		8109035023085	30.5	Fail
SCM		8706265322085	30.5	Fail
SCM		8004025059084	30.5	Fail
SCM		BN 0049279	30.0	Fail
SCM		61011125988089	29.9	Fail
SCM		7003055629080	29.0	Fail
SCM		8812160568085	28.5	Fail
SCM		8809285382087	28.5	Fail
SCM		8002115398081	28.0	Fail
SCM		8010245628087	28.0	Fail
SCM		6310185525083	27.0	Fail
SCM		6507065981084	26.5	Fail
SCM		9107095564089	25.0	Fail
SCM		8703155242085	24.5	Fail
SCM		8001285282083	23.5	Fail
SCM		8912136126081	23.0	Fail
SCM		8007015752089	23.0	Fail
SCM		6911195113081	22.5	Fail
SCM		8711035188089	22.5	Fail
SCM		8510235518081	2.5	Fail
SCM		8807046097085	19.5	Fail
SCM		7601035444080	18.0	Fail
SCM		7605075952084	18.0	Fail
SCM		6310175480083	17.0	Fail
SCM		6810313287082	16.5	Fail
SCM		9106160894081	15.0	Fail
SCM		8606035501085	14.0	Fail
SCM		8408075995082	13.0	Fail
SCM		8908165148087	12.0	Fail
SCM		8101020266084	8.5	Fail
SCM		7808145419080	0.0	Fail

OCTOBER 2012 EXAMS - SCC COAL

Examination Number		ID Number	Final Mark	
SCC		8811235350081	37	Fail
SCC		8806105373080	28	Fail
SCC		8806031120084	62	Pass
SCC		8802205309082	62	Pass
SCC		8801310278083	15	Fail
SCC		8708315888081	26	Fail
SCC		8608315067084	66	Pass
SCC		8501275048089	60	Pass
SCC		8403120429087	50	Fail
SCC		8304155556085	30.5	Fail
SCC		8302065454086	60	Pass
SCC		7601065004085	67	Pass
SCC		7401295068087	31	Fail
SCC		7409255073088	47	Fail
SCC		7210125149086	46.5	Fail
SCC		6512235587084	55	Fail
SCC		5509105146083	66	Pass

Examination Number		ID Number	Final Mark	Pass/Fail
RMC	COMRMC1	703214201	37	Fail
RMC		74045179082	41	Fail
RMC		84028453153	33	Fail
RMC		700807563087	44	Fail
RMC		761145780083	35	Fail
RMC		5910065077088	37	Fail
RMC		6201205068081	53	Fail
RMC		6206145045081	19	Fail
RMC		6208315781081	42	Fail
RMC		6309065973082	22	Fail
RMC		6409308679083	21	Fail
RMC		6411305106083	39	Fail
RMC		6601255084088	30	Fail
RMC		6705075446086	39	Fail
RMC		6712225145089	65	Pass
RMC		6805156234086	3	Fail
RMC		6807025354087	45	Fail
RMC		6904305683184	33	Fail
RMC		6905056941085	20	Fail
RMC		6907035659085	30	Fail
RMC		6912275037083	48	Fail
RMC		7004145853086	30	Fail
RMC		7006225512086	20	Fail
RMC		7007075868081	21	Fail
RMC		7310225734082	51	Fail
RMC		7312035862087	0	Fail
RMC		7401235487088	3	Fail
RMC		7411205533088	31	Fail
RMC		7412305682080	45	Fail
RMC		7505035346080	40	Fail
RMC		7506105034085	51	Fail
RMC		7602105005082	36	Fail
RMC		7603225192081	21	Fail
RMC		7608185107086	63	Pass
RMC		7611255272087	44	Fail
RMC		7611285917180	54	Fail
RMC		7705090013084	51	Fail
RMC		7807095003084	16	Fail
RMC		7811215018089	42	Fail
RMC		7811275396086	39	Fail
RMC		7901295033080	53	Fail
RMC		7904305038081	61	Pass
RMC		7907075516087	60	Pass
RMC		7908205422089	40	Fail
RMC		8001265505081	37	Fail
RMC		8002275551081	72	Pass
RMC		8006165700088	53	Fail
RMC		8007185427082	32	Fail
RMC		8101115488080	22	Fail
RMC		8104125608085	37	Fail
RMC		8105195155089	43	Fail
RMC		8109045843084	7	Fail
RMC		8110190047083	43	Fail
RMC		8112145079088	1	Fail
RMC		8206065927084	35	Fail
RMC		8208055871082	34	Fail

RMC	8208165696080	60	Pass
RMC	8211255079084	32	Fail
RMC	8304195778087	36	Fail
RMC	8308255088084	31	Fail
RMC	8309205925081	22	Fail
RMC	8309245042087	18	Fail
RMC	8312120888087	35	Fail
RMC	8312190723081	63	Pass
RMC	8405305363080	48	Fail
RMC	8410110724088	48	Fail
RMC	8410300048082	69	Pass
RMC	8412155080087	32	Fail
RMC	8501095072087	39	Fail
RMC	8501225085082	54	Fail
RMC	8503135081086	45	Fail
RMC	8506105512089	52	Fail
RMC	8508295138089	40	Fail
RMC	8510145641080	61	Pass
RMC	8609205589088	62	Pass
RMC	8702205208088	34	Fail
RMC	8702205209086	41	Fail
RMC	8703045909083	63	Pass
RMC	8709015058082	49	Fail
RMC	8710300740087	60	Pass
RMC	8712165955081	48	Fail
RMC	8803075189083	70	Pass
RMC	8807060419082	62	Pass
RMC	9001055095086	42	Fail
RMC	72032350920802	43	Fail
RMC	77011756100843	25	Fail
RMC	84081807140880	52	Fail
RMC	85121154950833	38	Fail
RMC	91070551640854	25	Fail
RMC	27133251N27	53	Fail
RMC	58153783H47	61	Pass
RMC	59068151L50	38	Fail
RMC	79101809B26	33	Fail
RMC	83072491K83	40	Fail
RMC	83141704R83	56	Fail
RMC	CN709333	58	Fail
RMC	RA864433	13	Fail
RMC	RA9193954	12	Fail
RMC	RA974082	1	Fail

OCTOBER 2012 EXAMS - RMC 2

Examination Number		ID Number	Final Mark	Pass/Fail
RMC		59068151L5	23.0	Fail
RMC		8212050778086	18.0	Fail
RMC		8508125579080	26.0	Fail
RMC		7905245252088	22.0	Fail
RMC		8006265372085	26.0	Fail
RMC		7703095074086	20.0	Fail
RMC		703214201	22.0	Fail
RMC		8002055138083	22.0	Fail
RMC		8203230481089	12.0	Fail
RMC		7706225303085	22.0	Fail
RMC		8202235540089	30.0	Fail
RMC		9110215004084	36.0	Fail
RMC		7806105413085	32.0	Fail
RMC		8211255079084	35.0	Fail
RMC		6709115003089	39.0	Fail
RMC		9005295789085	31.0	Fail
RMC		8706195928084	35.0	Fail
RMC		8509300903088	36.0	Fail
RMC		7611145780083	33.0	Fail
RMC		8602245589085	30.0	Fail
RMC		8211045676082	35.0	Fail
RMC		7807035082081	39.0	Fail
RMC		7004145853086	39.0	Fail
RMC		83072491K83	37.0	Fail
RMC		7504205252087	35.0	Fail
RMC		7401215553085	34.0	Fail
RMC		6608245595081	34.0	Fail
RMC		8512185805088	39.0	Fail
RMC		7811215018089	28.0	Fail
RMC		83141704R83	39.0	Fail
RMC		51229	35.0	Fail
RMC		8408180714088	36.0	Fail
RMC		RA313798	30.0	Fail
RMC		7811275396086	34.0	Fail
RMC		8206185686081	39.0	Fail
RMC		8109096080081	38.0	Fail
RMC		8409070639088	39.0	Fail
RMC		7404125179082	49.0	Fail
RMC		8306140591085	43.0	Fail
RMC		7508215028080	41.0	Fail
RMC		9102015104081	48.0	Fail

RMC		9008215542089	41.0	Fail
RMC		8102160781080	48.0	Fail
RMC		7709155144081	45.0	Fail
RMC		8207075099088	45.0	Fail
RMC		8205185756084	45.0	Fail
RMC		AN644656	51.0	Fail
RMC		8210065801083	49.0	Fail
RMC		8705056862085	48.0	Fail
RMC		8512115495083	40.0	Fail
RMC		7910075408081	44.0	Fail
RMC		8301105499085	48.0	Fail
RMC		7510106860084	46.0	Fail
RMC		7902055043087	40.0	Fail
RMC		'7705090013084	45.0	Fail
RMC		51110	44.0	Fail
RMC		7601185016084	41.0	Fail
RMC		6301016377083	41.0	Fail
RMC		6912275037083	47.0	Fail
RMC		8402045680089	45.0	Fail
RMC		7806040727086	61.0	Pass
RMC		8809075028080	61.0	Pass
RMC		9003035571087	61.0	Pass
RMC		6908045031083	62.0	Pass
RMC		8701120312082	60.0	Pass
RMC		7702055109080	53.0	Fail
RMC		8506175383080	55.0	Fail
RMC		8805300592080	61.0	Pass
RMC		8703275066083	61.0	Pass
RMC		58153783H47	61.0	Pass
RMC		7701175610084	62.0	Pass
RMC		8111285395080	62.0	Pass
RMC		8506066171080	53.0	Fail
RMC		8308235088084	52.0	Fail
RMC		7511265045087	63.0	Pass
RMC		7601145011084	54.0	Fail
RMC		8006165700088	53.0	Fail
RMC		22214023B22	55.0	Fail
RMC		79101809B26	32.0	Fail
RMC		6904305683184	23.0	Fail
RMC		8606180463081	48.0	Fail
RMC		8501225085082	63.0	Pass
RMC		6411305106083	55.0	Fail

OCTOBER 2012 EXAMS - RMC 3.2

Examination Number		ID Number	Pass/Fail	Final Mark
RMC		8101135053088	Fail	34.5
RMC		AN644656	Fail	17
RMC		7811215018089	Fail	44
RMC		7807035082081	Fail	51

OCTOBER 2012 EXAMS - RMC 3.3

Examination Number		ID Number	Pass/Fail	Final Mark
RMC		82062612670	Pass	75
RMC		8409070639088	Fail	32
RMC		8509300907088	Fail	30
RMC		7508215028080	Fail	21
RMC		8206185686081	Fail	31

OCTOBER 2012 EXAMS - RMC 3.4

Examination Number		ID Number	Final Mark	Pass/Fail
RMC		8211045676082	42	Fail
RMC		8706195928084	49	Fail
RMC		8111285395080	57	Fail